

# NIGHT BREAKER LASER H1

Halogen light with excellent brightness



## Up to 150% more brightness

More light allows to see farther and therefore react sooner compared to the minimum legal standard




## Up to 150m long beam

For better visibility



## Up to 20% whiter light

More modern look compared to the minimum legal standard



## Strong halogen light for high demands

Thanks to innovative laser ablation technology, NIGHT BREAKER LASER halogen headlight lamps shine up to 150% brighter compared to the minimum legal standard. The highly engineered filament ensures an extra light boost. Consequently, the lamps provide an up to 150m long beam and up to 20% whiter light compared to the minimum legal standard. More light and improved visibility can help drivers identify and react to traffic hazards more quickly. Last but not least: OSRAM NIGHT BREAKER LASER impresses with its unique design (laser-engraved product name) and complete portfolio (H1, H3, H4, H7, H8, H11, HB3, HB4).

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64150NL
------------------------	---------

Electrical Data


Power input	68 W <sup>1)</sup>
Nominal voltage	12 V
Nominal wattage	55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

Photometric Data

Nominal luminous flux	1550 lm
Luminous flux tolerance	±15 %
Color temperature	3400 K

Physical Attributes & Dimensions



Diameter	8.5 mm
Diameter	8.5 mm
Product weight	6.30 g
Length	62.5 mm
Lamp base	P14.5s

Lifetime Data

Lifespan B3	150 hr
-------------	--------

Product datasheet

Lifespan Tc	300 hr
-------------	--------

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H1
--------------	----

Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899991309   4062172114936   4062172388108   4052899998995   4052899990944   4052899991538   4062172114899   4052899991453   4062172256940   4062172395489   4058075141513
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899991309	NIGHT BREAKER LASER H1	FS ECO 1	25 mm x 23 mm x 70 mm	0.28 dm <sup>3</sup>	8.00 g
4052899991323	NIGHT BREAKER LASER H1	Shipping carton box 100	245 mm x 145 mm x 140 mm	4.97 dm <sup>3</sup>	955.00 g
4062172114899	NIGHT BREAKER LASER H1	Hard Cover Box 2	113 mm x 48 mm x 105 mm	0.28 dm <sup>3</sup>	104.00 g
4062172114905	NIGHT BREAKER LASER H1	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	605.00 g
4062172114936	NIGHT BREAKER LASER H1	Blister 1	135 mm x 95 mm x 24 mm	0.28 dm <sup>3</sup>	28.00 g
4062172114943	NIGHT BREAKER LASER H1	Shipping carton box 10	225 mm x 105 mm x 145 mm	3.43 dm <sup>3</sup>	315.00 g
4062172388108	NIGHT BREAKER LASER H1	HFB ECO 2	100 mm x 51 mm x 120 mm	0.28 dm <sup>3</sup>	43.00 g
4062172388115	NIGHT BREAKER LASER H1	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm <sup>3</sup>	292.00 g
4062172395489	NIGHT BREAKER LASER H1	BLI ECO 1	95 mm x 22 mm x 135 mm	0.28 dm <sup>3</sup>	16.00 g
4062172395496	NIGHT BREAKER LASER H1	Shipping carton box 10	144 mm x 134 mm x 110 mm	2.12 dm <sup>3</sup>	202.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages NIGHT BREAKER LASER next gen H1 64150NL

Legal advice

Light output compared to the minimum ECE R112/R37 requirementsH4/H7/H8/H11/HB3/HB4

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

